




VSOP

Variable Sleeve Offset Printing

***Available AS-IS or various refurbishing options.**

**VSOP**

- ◆ Variable size, any repeat length
- ◆ Low size cost
- ◆ Low image cost
- ◆ Superior offset print quality
- ◆ High reactivity
- ◆ Short make ready and change over time
- ◆ High productivity
- ◆ High efficiency, even on short runs
- ◆ Many different in-line processes
- ◆ User-friendly and ergonomic operation, no tools required

Additional units

- ◆ Die-cutter
- ◆ Rewinder
- ◆ Sheeter
- ◆ Blanket washing system
- ◆ Remote ink control
- ◆ Register control
- ◆ Web video system
- ◆ UV curing system
- ◆ Flexo unit
- ◆ Screen printing unit
- ◆ Rotogravure unit
- ◆ Hot foil stamping unit
- ◆ Laminating unit
- ◆ Numbering unit
- ◆ Variable data inkjet system
- ◆ Cooling units with UV curing
- ◆ Hot air dryer for water based or solvent based inks and varnish
- ◆ Non-stop splicers
- ◆ Corona unit
- ◆ And many more...

*Please enquire about availability of used machine options in these sizes.

Machine specifications	VSOP 520	VSOP 850	VSOP 1120	VSOP 1250
Print direction	▶▶▶	▶▶▶	◀◀◀	◀◀◀
Max print speed	400 m/min 1200 ft/min	400 m/min 1200 ft/min	400 m/min 1200 ft/min	400 m/min 1200 ft/min
Web width	200 - 520 mm 8 - 20.5"	425 - 850 mm 17 - 33.5"	600 - 1120 mm 24 - 44"	600 - 1250 mm 24 - 49.2"
Max print width	500 mm 20"	840 mm 33"	1110 mm 43.7"	1240 mm 48.8"
Range repeat lengths	381 - 762 mm 15 - 30"	381 - 762 mm 15 - 30"	570 - 1140 mm 22.4 - 44.9"	570 - 1140 mm 22.4 - 44.9"
Repeat steps	stepless	stepless	stepless	stepless
Non printing zone				
Coated paper and film	3 mm 0.12"	3 mm 0.12"	4 mm 0.12"	4 mm 0.12"
Uncoated paper and board	6 mm 0.24"	6 mm 0.24"	6 mm 0.24"	6 mm 0.24"
Repeat change (per printing tower)	1 minute	1 minute	4 minutes	4 minutes
Print length correction	+/- 0,5% (depending on substrate)			
Image carrier	Offset plate: conventional or CtP, wet or dry offset, waterless offset			
Material range	standard 10 - 300 µm optional 10 - 700 µm	standard 10 - 300 µm optional 10 - 700 µm	standard 10 - 300 µm optional 10 - 700 µm	standard 10 - 300 µm optional 10 - 700 µm



Hallseweg 21
6964 AJ Hall
P.O. Box 70
6960 AB Eerbeek
Netherlands

Tel. +31 (0)313 671 911
Fax +31 (0)313 671 919

info@dgpress.nl
www.dgpress.nl

North American authorized agent:



11369 Higgins Airport Way
Burlington, WA 98233 (USA)
(360) 466-5577

Contact: Dave Gilmore, VP of Sales
dgilmore@impressionsworldwide.com
(619) 548-1409

www.impressionsworldwide.com
Solely owned and operated in the USA